

COMPLETE SWAYBAR LINKS

Various Applications - Nolathane complete sway bar link kits are the total solution - they include links, bushes and hardware. Original sway bar links in Commodore, Falcon, Patrol, Subaru and Landcruiser are a regular or heavy duty replacement. On most late model Subaru's the OE links are plastic and are prone to flex & crack in high performance vehicles -Nolathane Evolution alloy sway bar link kits permit articulation of the axle whilst providing improved response that you can feel.

you can feel.					
	Part #	Model	Length	Comments	
11	42951	Sway bar - link kit (Threaded)	140mm		
	42952	Sway bar - link kit (Threaded)	165mm	Both OE & universal fitment heavy duty replacement sway bar link kit. Each kit includes a pair Heavy Duty Sway Bar Links, Nuts & Washers (Bushes not incl.)	
	42953	Sway bar - link kit (Threaded)	202mm		
	42954	Sway bar - link kit (Threaded)	240mm		
	42955	Sway bar - link kit (Threaded)	280mm		
	42170	Commodore VB-VP Holden HK, WB	165mm	This kit is a standard replacement for HK-WB & VB-VL Commodores. It can also be used as a conversion kit on VN- VP Commodores to relocate the sway bar link from the strut leg back to the lower control arm	
	42997A	Commodore VN-VX1	280mm (bent link)	This new Nolathane 42997A kit incorporates key design features to overcome failure and fitment issues experienced in the market, no other Commodore sway bar link incorporates all of these features and benefits at such a competitive price - refer page 17 or www.nolathane.com.au for key features	
	42997A/10	Commodore VN-VX1	280mm (bent link)	Same as 42997A kit above but supplied as a bulk pack of 10	
	42998	Landcruiser 70 Series	200mm	This kit is a standard replacement for 70 Series Landcruisers as the OE links are prone to bending	
	42700	Impreza Forester Liberty Outback	65mm	Wow these Nolathane Evolution Billet Alloy links look great and transform the handling of your Subaru, as well as being a replacement to the OE links which are made from a composite glass material and are prone to flex & crack in high performance vehicles Nolathane also do a bush replacement to service the OE link part number 42411	

14

COMPLETE SWAYBAR LINKS



Part # Model Length Comments Wow these Nolathane Evolution alloy links Impreza look great and transform the handling of your Forrester Subaru, as well as being a replacement to the Liberty OE links which are made from a composite 42701 100mm glass material and are prone to flex & crack in high performance vehicles Nolathane also do a bush replacement to service the OE link part number 42412 Camry SDV10 42702 Corolla AE101-ZZE122 63mm OE fitment style ball links Rav4 ACA20-23 Camry SV21 42703 108mm OE fitment style ball links Corolla AE90-112 Galant 42704 Magna 60mm OE fitment style ball links Celica Galant HJ 42705 120mm OE fitment style ball links Lexus SC400 Laser Telstar 42706 105mm OE fitment style ball links N.B Left & Right Hand Link Camry Celica 108mm 42707 OE fitment style ball links Corolla Supra OE fitment style ball links and incorporates 42708 Commodore VX2-VZ 280mm a new saucer design top bush to overcome extreme loads and premature failure



COMPLETE SWAYBAR LINKS

superior suspension systems						
	Part #	Model	Length	Comments		
	42709	Commodore VZ N.B Left & Right Hand Link	210mm	OE fitment style ball links		
	42710	Commodore VZ Crewman/1 tonner	210mm	OE fitment style ball links		
	42711	Falcon BA-BF	88mm	OE fitment style ball links		
	42712	Patrol GU 10mm ball stud	163mm	OE fitment style ball links		
	42713	Patrol GU 10mm ball stud	LH= 240mm RH= 163mm	OE fitment style ball links		
	42714	Patrol GQ/GU 12mm ball stud	163mm	OE fitment style ball links		
	42790	Universal fully adjustable 10mm ball stud	60mm to 320mm	Universal sway bar link incorporates a simple threaded design which allows for the link to be cut to any length from 60-320mm and have the ball links seated in any position to suit all vehicle with ball/ball style sway bar links and a 10mm ball stud.		
	42792	Universal fully adjustable 12mm ball stud	60mm to 320mm	Universal sway bar link incorporates a simple threaded design which allows for the link to be cut to any length from 60-320mm and have the ball links seated in any position to suit all vehicle with ball/ball style sway bar links and a 12mm ball stud.		